

Presto Stantest Pvt. Ltd.

I-42, DLF Industrial Area Phase-1, Delhi Mathura Road, Faridabad 121003, Haryana, India P: 9210 903 903, +91 129 4272727, © 93111 24302 E: info@prestogroup.com



Faridabad • Sonipat • Kolkata • Mumbai • Pune • Ahmedabad
 Chennai • Bangalore • Hyderabad

www.prestogroup.com


RCT/FCT/EDGE Crush Tester – Digital with NITRO LCD





Model No. PCT - 100

RCT/FCT/Edge Crush Tester Digital is a consistent tool to measure the crush strength of cardboard boxes and packaging containers. PRESTO RCT/FCT/Edge Crush Tester is manufactured under Test Standard IS 7063.

- Capacity: 100 Kgf
- Microprocessor based LCD display for accurate test results ± 1 %
- After completion the test auto home return
- Memory for retaining peak value automatically









Presto Stantest Pvt. Ltd.

I-42, DLF Industrial Area Phase-1, Delhi Mathura Road, Faridabad 121003, Haryana, India P: 9210 903 903, +91 129 4272727, © 93111 24302 E: info@prestogroup.com



Faridabad • Sonipat • Kolkata • Mumbai • Pune • Ahmedabad
 Chennai • Bangalore • Hyderabad

www.prestogroup.com

The Ring Crush, Edge Crush, Flat Crush Strength tester measures the rigidity of CFB on edgewise.

- Microprocessor based LCD display for accurate test results
- After completion the test auto home return (only in NITRO LCD model)
- Inbuilt calibration facility
- Separate fixtures for ring crush, edge crush and flat crush test.
- Start operation with Feather touch controls
- Memory for retaining peak value automatically (auto peak detect)

RCT/FCT/Edge Crush Tester reveals the crushing resistance in terms of Kg/Unit length.

Optional Features:

- Computerised model also available
- Digital model with printer facility also available.

Key Specifications:

Load CellCapacity	100 Kgf
Display	Digital LCD
Accuracy	\pm 1% at full load (with master load)
Least Count/Resolution	0.01 Kgf
Power	220V, Single phase, 50 Hz
Test Speed	12.5 ± 2.5 mm/min
Difflection	1 mm least count

Highlights:

Auto Test Stop	Yes
Auto Home Return	Yes
Safety Switch	Upward & Downward Limit Switches
Material	Mild Steel
Finish	Powder coated Havel Gray & Blue combination finish and bright chrome / zinc plating for corrosion resistant finish
Dimensions	600x500x863 mm

Thank you customers for choosing us as your partners in growth!





























OUR OTHER PRODUCTS:-







Scuff Resistance Tester



Tensile Tester Digital



Spectrocolorimeter



Cobb Sizing Tester



Digital GSM Balance

^{*}All the above logos are the sole property of their respective owners and are used purely for depiction purposes only